



# RT-2000

[www.micro-seiki.nl](http://www.micro-seiki.nl)  
[info@micro-seiki.nl](mailto:info@micro-seiki.nl)

# Platter RT-2000

---

## General.

### Platter RT-2000

This Platter RT-2000 is a reproduction of the original Micro Seiki Platter RT-2000. Dimensions and weight are the same but not the material. We used Brass.

The standard and custom made Platter can be used as a replacement of the standard RT-2000A Platter which is used on:

- BL-91,
- BL-91L,
- RX-1500,
- Full Choice Player 1500 and
- SX-1500.

Despite a packing-control, I would ask you first if the Platter RT-2000 is undamaged. If this is not the case contact me immediately at [info@micro-seiki.nl](mailto:info@micro-seiki.nl)

## Remarks / Advises:

- As the original Platter RT-2000 this Platter is not polished. If you want a polished Platter Ring than this must be done by a professional.
- For dry maintenance use only an abrasive cloth and for a wet maintenance use a barn free damp cloth. (use no cleaning products) Special polish wipes can be used to. (Please get some advice from a professional first)
- The Platter RT-2000 will fit the turntable axle very tight. I advise to wait a couple of hours after unpacking.
- The Platter RT-2000 is very heavy and machined very carefully to be perfect. So exceptional forces can change the shape of this Platter RT-2000. (falling and colliding)
- The use of a CU-180 turntable mat is not necessary anymore.
- If you don't want to use it for a while, You must store it **flat**. No standing up on its side.

# Platter RT-2000

---

## Contents of the packaging.

- 1 Manual,
- 2 Handles,
- 1 Platter RT-2000.



## Instructions.

- Care for a barn free workspace,
- Placing or removing the Platter RT-2000 must be done by using the two Handles. ALWAYS!
- To place the Platter on the turntable you must move the Platter in a **straight vertical line** down till it rests on the axle.
- Sometimes the RT-2000 can be fixed very tight. Removing can be very hard.  
In that case two people should remove the Platter. One person uses the two handles to lift the platter and another person should give the axle a very, very, very small hit.

*When I have to remove the RT-2000 I always do it with the help of my son. He gives a little hit on the axle while I pull the Platter straight up with the handles fixed in the two holes of the platter. My son hits the axles with the backend of a screwdriver.*

